

Release 1534

**Service Request 16920
Table Edit For Data Element Table**

**Service Request 80661
Separation Reason Codes**

**Service Request 14898
Visa Codes**

**Error Report 1891
Help Text for EDB0109**

Installation Instructions

Document Number: install.doc
Susan B. Isaacs
11/19/03

Information Systems & Computing
Office of the President
University of California

Installation Instructions

This document provides installation instructions for this release. Review these instructions carefully before proceeding with installation.

DB2 Installation

This portion of the installation creates DB2 objects.

2. Install the **modified** DDL members listed in the following table, replacing *AUTHID* and database "PPPEDB" as necessary, with appropriate campus values.

DDL Members	Database	Installed?
PPPZCTT	PPPCTL	
TBCTT00C	PPPCTL	

2. Install the **new** table Alter DDL members listed in the following table, replacing *AUTHID* with appropriate campus values.

DDL Members	Database	Installed?
TBCTT01A	PPPCTL	

2. The RC/Migrator strategy in ANALYSIS (1534U) can be used to perform the above DB2 changes, or the environments may be updated using the DDL members. You should be aware that the strategies do not provide for local changes to referenced objects. If you do not wish to use the RC/Migrator strategy, skip this step and continue with Step 5.
 - Modify strategy member 1534U by replacing *AUTHID* with the appropriate campus value. Replace "PPPEDB" with the local database name, if different.
 - Use RC/Migrator to execute the strategies. Skip the next steps 5 through 7, and **continue with step 8**.

5. Alter table PPPCTT.

- Drop View PPPVZCTT_CTT (no DDL provided).
- Execute DDL member TBCTT05A to alter Table PPPCTT.
- Execute DDL member PPPVZCTT to recreate View PPPVZCTT_CTT.

NOTE: an alternative is to Drop Table PPPCTT and execute modified DDL member TBCTT00C to recreate the Table. If this is done, all Indexes and Views must be identified and recreated.

6. A DB2 View (PPPVZCTT_CTT) used by PPS Web applications has been dropped and recreated, so it may be necessary to re-GRANT access. Install the DDL member listed in the following table, replacing *WEBID* with the surrogate ID used for Web EDB Inquiry. The CURRENT SQLID must be set to the value of *AUTHID* of the authorization ID that will own the Web accessed objects. Once modified, execute the DDL member.

Include Member Installation

1. Install the **modified** include member listed in the following table.

Include Members	Installed?
PPPVZCTT	

Copylib Member Installation

1. Install the **modified** copymembers listed in the following table.

Copylib Members	Installed?
CPCTCTTI	
CPWSXTEI	

2. Install the **modified campus-specific** copymember listed in the following table. Do not overlay local values with Base values.

Copylib Members	Installed?
CPWSXIDC	

Program Preparation

Note: At UCOP, all COBOL programs pass through the DB2 pre-compiler, whether or not the program contains embedded SQL, to resolve INCLUDE references. Your site may have different requirements.

1. Install, compile and link the **modified** programs listed in the following table.

Program	DB2?	Compile	Package Bind?	Done?
PPCTCTTE	Yes	Batch	No	
PPCTCTTU	Yes	Batch	No	
PPCTR38	Yes	Batch	No	
PPCTT38	No	Batch	No	
USER06	YES	Dual	YES	
PPPVREDO	Yes	CICS	YES	
PPCTDETE	Yes	Batch	No	
PPPVREDT	Yes	Batch	No	
PPP711	No	Batch	No	

2. Install, compile and link the **unmodified** programs listed in the following table.

Program	DB2?	Compile	Package Bind?	Done?
PPP620	Yes	Batch	No	

Plan Binds

1. Bind the plans listed in the following table.

Bind Members	Done?
PPP004	
PPP050	
PPP620	
PPP711	

CICS Help

1. Import the **modified** CICS Helptext on file HELPDDSE. Refer to sample JCL in JCL (LOADHELP). Text has been created for the following:
 - EDB 0110 Separation Reason Code
 - EDB 0141 Visa Code
 - EDB 0109 Citizen Code

Testing

Perform installation verification testing as described in the Test Plan. In addition perform any further local testing.

Install in Production

1. Run PPP004 to update the following DB2 CTL tables with **release transactions**.
 - Data Element Table (06) - Use the transactions in CARDLIB (DETPROD).
 - System Messages Table (08) - Use the transactions in CARDLIB (MSGPROD).
 - Code Translation Table (38) - Use the transactions in CARDLIB (CTTPROD).
2. Follow local procedures for distributing modified form UPAY814.